



# भारत का राजपत्र The Gazette of India

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं० 43]  
No. 43]

नई दिल्ली, शनिवार, अक्टूबर 23, 1982/कार्तिक 1, 1904  
NEW DELHI, SATURDAY, OCTOBER 23, 1982/KARTIKA 1, 1904

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके  
Separate paging is given to this Part in order that it may be filed as a separate compilation

## भाग II—खण्ड 3—उप-खण्ड (i) PART II—Section 3—Sub-section (i)

(रक्षा मंत्रालय को छोड़कर) भारत सरकार के मंत्रालयों और (संघ राज्य क्षेत्र प्रशासनों को छोड़कर)  
केन्द्रीय प्राधिकारियों द्वारा विधि के अन्तर्गत बनाए और जारी किए गए साधारण नियम  
जिनमें साधारण प्रकार के आदेश, उपनियम आदि सम्मिलित हैं।

General Statutory Rules (including Orders, Bye-laws etc. of a general character) issued  
by the Ministries of the Government of India (other than the Ministry of Defence) and  
by the Central Authorities (other than the Administrations of Union Territories)

### SUPREME COURT OF INDIA

New Delhi, the 14th October, 1982

G.S.R. 877.—Under Rule 5(ii) of Order IV, Supreme Court Rules, 1966 (as amended), and Regulation (2) of the Regulations regarding Advocates-on-Record Examination made thereunder governing the Examination for the Advocates-on-Record, it is hereby notified for the information of all concerned that Examination for the Advocates-on-Record will be held in the Supreme Court Premises, New Delhi from Monday the 20th December, 1982 to Thursday the 23rd December, 1982.

2. All Advocates who will be completing one year's continuous training on or before 30th November, 1982 are eligible to appear for the aforesaid examination.

3. Applications should reach the Secretary not later than Saturday the 20th November, 1982. The application form may be obtained from Secretary on any working day during office hours.

4. Applications will be accepted provisionally subject to the production of the requisite certificate relating to the required training from the Advocates-on-Record concerned as soon as possible and in any case not later than Saturday, the 11th December, 1982. Applications from the candidates who fail to produce the said certificate on or before the 11th December, 1982 shall not be entertained.

[F. 10/82/AR(MJ)]

By Order,

R. SUBBA RAO, Secy.  
Board of Examiners

### विधि, न्याय और कम्पनी कार्य मंत्रालय

(कम्पनी कार्य विभाग)

(कम्पनी विधि बोर्ड)

नई दिल्ली, 25 सितम्बर, 1982

सां० कां० नि० 878.—भारत सरकार, कम्पनी कार्य विभाग की अधिसूचना संख्या सां० कां० नि० 443 (ऊ) तारीख 18 अक्टूबर, 1972 के साथ पठित, कम्पनी अधिनियम, 1956 (1956 का 1) की धारा 594 की उप-धारा (1) के परन्तुक द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए तथा भारत सरकार के वित्त मंत्रालय (कम्पनी विधि प्रशासन विभाग) की अधिसूचना सं० सां० नि० प्रा० 3216 तारीख 4 अक्टूबर, 1957 की अधिसूचना (जिसे इसमें इसके पश्चात् अधिसूचना कहा गया है) में प्रांशिक उपात्तर करते हुए कम्पनी विधि बोर्ड एतद्द्वारा यह निदेश देता है कि स० निस्सी ह्वाय कारपोरेशन (जिसे इसमें इसके पश्चात् 'कम्पनी' कहा गया है) के मामले में जो एक विदेशी कम्पनी है, उक्त धारा 594 की उप-धारा (1) के खण्ड (क) की अपेक्षाएं जैसी कि वे किसी विदेशी कम्पनी के अपने लागू होने के सम्बन्ध में अधिसूचना द्वारा उपात्तरित की गई हैं, निम्नलिखित अन्य अपवादों तथा उपात्तरों के सम्बन्ध में रहते हुए लागू होंगी, यथातः—

यदि 31-3-1982 के वित्तीय वर्ष की समाप्ति की बाबत कम्पनी भारत में समुचित कम्पनी रजिस्ट्रार को, निम्नलिखित की तीन प्राप्तिवां

प्रस्तुत करे तो उक्त धारा 594 की उप-धारा (1) के खण्ड (क) के उपबन्धों का पर्याप्त अनुपालन हुआ समझा जाएगा:—

- (1) (1) अधिनियम की धारा 592 की उप-धारा (1) के खण्ड (ब) के अन्तर्गत भारत में प्रादेशिका तालीम के लिए प्राधिकृत व्यक्ति तथा
- (2) भारत के शासनायुक्त लेखापाल द्वारा प्रमाणित इसकी भारतीय शाखा की प्राप्तियों तथा भुगतानों का विवरण पत्र
- (2) ऊपर उप-धारा (1) में वर्णित ढंग से प्रमाणित भारत में कम्पनी की परिसम्पत्तियों तथा देयताओं का विवरण-पत्र
- (3) ऊपर उप-धारा (1) में वर्णित व्यक्तियों द्वारा सम्मत: हस्ता-क्षरित इस आशय का प्रमाण-पत्र कि कम्पनी ने 31-3-1982 के वर्ष की समाप्ति के मध्य भारत में कोई व्यापार नहीं किया।

कम्पनी विधि बोर्ड के आदेश से।

[फा० सं० 14/8/82-सीएल०६]

ए० बी० सुरते, संयुक्त निदेशक

**MINISTRY OF LAW, JUSTICE AND COMPANY AFFAIRS**  
(Department of Company Affairs)

New Delhi, the 25th September, 1982

**G.S.R. 878.**—In exercise of the powers conferred by the proviso to sub-section (1) of section 594 of the Companies Act, 1956 (1 of 1956) read with the Government of India, Department of Company Affairs, Notification No. G.S.R. 443(E) dated the 18th October, 1972 and in partial

modification of the Notification of the Government of India, Ministry of Finance (Department of Company Law Administration) No. SRO. 3216 dated the 4th October, 1957 (hereinafter referred to as the Notification) the Company Law Board hereby directs that in the case of M/s. Nissho-Iwai Corpn. (hereinafter referred to as the company) being a foreign company the requirements of clause (a) of sub-section (1) of the said section 594 as modified in their application to the foreign company by the Notification shall apply subject to the following further exceptions and modifications, namely:—

It shall be deemed to be sufficient compliance with the provisions of clause (a) of sub-section (1) of the said section 594, if in respect of the financial year ended 31-3-82 the company submits to the appropriate Registrars of Companies in India in triplicate:—

- (i) A statement of receipts and payments made by the Indian Branch, Certified by (1)(a) person authorised to accept service of process in India under clause (d) of sub-section (1) of section 592 of the Act and 2) a Chartered Accountant Practising in India.
- (ii) A statement of the company's assets and liabilities in India certified in the manner as indicated in Item (i) above and;
- (iii) A certificate duly signed by persons as indicated in item (1) above that the company did not carry on any business in India during the year ended 31st March, 1982.

By order of the Company Law Board.

[No. 14/8/82-CL. VI]

A. B. SURTE, Jt. Director

**गृह मंत्रालय**

(कार्मिक और प्रशासनिक सुधार विभाग)

नई दिल्ली, 24 सितम्बर, 1982

सा० फा० नि० 879.—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तु द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, गृह मंत्रालय, कार्मिक और प्रशासनिक सुधार विभाग (कार्मिक खण्ड) में प्रशिक्षण उपस्कर आपरेटर के पद पर भर्ती की पद्धति का विनियमन करने के लिए निम्नलिखित विवम बनाते हैं, अर्थात्:—

1. संक्षिप्त नाम और प्रारम्भ:—(1) इन नियमों का संक्षिप्त नाम कार्मिक और प्रशासनिक सुधार विभाग (कार्मिक खण्ड) समूह "ग" प्रशिक्षण उपस्कर आपरेटर पद भर्ती नियम, 1982 है।
- (2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।
2. पद-संख्या वर्गीकरण और वेतनमान:—पद की संख्या, उसका/वर्गीकरण और उसका वेतनमान यह होंगे, जो उपाखण्ड अनुसूची के स्तम्भ 2 से 4 में विनिर्दिष्ट हैं।
3. भर्ती की पद्धति, आयु-सीमा और अर्हताएं प्रादि:—उक्त पद पर भर्ती की पद्धति, आयु-सीमा और अर्हताएं और उससे संबंधित अन्य बातें वे होंगी जो उक्त अनुसूची के स्तम्भ 5 से 13 में विनिर्दिष्ट हैं।
4. निरर्हताएं:—वह व्यक्ति—  
(क) जिसने ऐसे व्यक्ति से, जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या  
(ख) जिसने अपने पति या अपनी पत्नी के जीवित होते हुए किसी व्यक्ति से विवाह किया है, उक्त पद पर नियुक्ति का पात्र नहीं होगा।
- परन्तु यदि केन्द्रीय सरकार का यह समाधान हो जाता है कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य प्रकार को लागू स्थीय विधि के अन्तर्गत अनुज्ञेय है और ऐसा करने के लिए अन्य आधार हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकेगी।
5. शिथिल करने की शक्ति:—जहां केन्द्रीय सरकार की यह राय है कि ऐसा करना आवश्यक या समीचीन है, वहां वह, उसके लिए जो कारण हैं उन्हें लेखबद्ध करके, इन नियमों के किसी उपबन्ध को किसी वर्ग या वर्गों के व्यक्तियों की भावत, आदेश द्वारा शिथिल कर सकेगी।
6. व्याप्ति:—इन नियमों की कोई भी बात ऐसे आदेशों, आयु-सीमा में छूट और अन्य रियायतों पर प्रभाव नहीं डालेगी, जिनका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों, अनुसूचित जनजातियों और अन्य विशेष वर्गों के व्यक्तियों के लिए उपबन्ध करना अपेक्षित है।

## अनुसूची

पद का नाम	पदों की संख्या	वर्गीकरण	वेतनमान	चयन पद धारणा अभ्ययन पद	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए आयु-सीमा	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए शैक्षिक और अन्य महत्ताएं
1	2	3	4	5	6	7
प्रशिक्षण उपस्कर आपरेटर	1* *(कार्य-भार के आधार पर वरिष्ठता किया जा सकता है)	साधारण केन्द्रीय सेवा समूह "ग" अराज-पक्षित अतिरिक्तवर्गीय	330-8-370- 10-400-ब०रो०- 480 रु०	लागू नहीं होता	25 वर्ष (सरकारी सेवकों के लिए केन्द्रीय सरकार द्वारा जारी किए गए अनुदेशों या आदेशों के अनुसार शिथिल करके 35 वर्ष की जा सकती है) टिप्पण : आयु सीमा अवधारित करने के लिए निर्णायक तारीख, भारत में रहने वाले अभ्यर्थियों से (उनसे भिन्न जो अल्पमान और निकोबार द्वीप तथा लक्षद्वीप में रहते हैं) आवेदन प्राप्त करने के लिए नियत की गई अंतिम तारीख होगी। ऐसे पदों की बाबत, जिन पर नियुक्ति रोजगार कार्यालय के माध्यम से की जाती है, आयु सीमा अवधारित करने की निर्णायक तारीख वह तारीख होगी जिस तक रोजगार कार्यालय से नाम भेजने के लिए कहा गया है।	आवश्यक : 1. वैदिक या समतुल्य अधिमानतः विज्ञान के विषयों सहित 2. विभिन्न प्रशिक्षण उपस्करों जैसे कि प्रक्षेपित, क्रमबद्ध मशीन, काफी मशीन टेप कैसेट कोडर के बालन और उनके अनुकरण में प्रशिक्षण प्राप्त किया हो। 3. उपरोक्त प्रशिक्षण उपस्करों को चलाने का कम से कम 2 वर्ष का अनुभव।

सीधे भर्ती किए जाने वाले व्यक्तियों के लिए बहिष्कृत आयु और शैक्षिक महत्ताएं प्रोन्नति व्यक्तियों की दशा में लागू होंगी या नहीं	परिवीक्षा की अवधि यदि कोई हो	भर्ती की पद्धति, भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रतिनियुक्ति/स्थानान्तरण द्वारा तथा विभिन्न पद्धतियों द्वारा भरी जाने वाली रिक्तियों की प्रतिफलता	प्रोन्नति/प्रतिनियुक्ति/स्थानान्तरण द्वारा भर्ती की दशा में वे श्रेणियां जिनसे प्रोन्नति/प्रतिनियुक्ति/स्थानान्तरण किया जाएगा।	यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना	भर्ती करने में किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा।
8	9	10	11	12	13
लागू नहीं होता	2 वर्ष (सीधे भर्ती किए जाने वाले व्यक्तियों के लिए)	प्रतिनियुक्ति/स्थानान्तरण द्वारा जिसके न हो सकने पर सीधी भर्ती द्वारा।	प्रतिनियुक्ति/स्थानान्तरण : ऐसे व्यक्ति जो केन्द्रीय सरकार के अधीन सवुस या समतुल्य पद धारण किए हुए हैं और जो सीधी भर्ती के लिए बहिष्कृत महत्ताएं रखते हैं। (प्रतिनियुक्ति की अवधि सामान्यतः 3 वर्ष से अधिक नहीं होगी)	(पुष्टि पर विचार करने के लिए) विभागीय प्रोन्नति समिति समूह "ग" 1. उप सचिव (प्र०) कार्मिक और प्रशासनिक सुधार विभाग—सदस्य 2. निदेशक (स्थापन) कार्मिक और प्रशासनिक सुधार विभाग—सदस्य 3. उप सचिव (प्र०) गृह मंत्रालय—सदस्य	लागू नहीं होता

8	9	10	11	12	13
				4. उप सचिव (प्र०) कार्मिक और प्रशासनिक सुधार विभाग (प्रशासनिक सुधार खण्ड)---सदस्य	
				5. संयुक्त सचिव (सतर्कता) कार्मिक और प्रशासनिक सुधार विभाग---अध्यक्ष	

[सं० ए० 12018/1/82-प्रशा०-III]

काली प्रसाद, अवर सचिव

**MINISTRY OF HOME AFFAIRS**

(Department of Personnel and Administrative Reforms)

New Delhi, the 24th September, 1982

**G.S.R. 879.**—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Training Equipment Operator in the Department of Personnel and Administrative Reforms (Personnel Wing) Ministry of Home Affairs, namely:—

1. Short title and commencement.—(1) These rules may be called the Department of Personnel and Administrative Reforms (Personnel Wing) Group 'C' post of Training Equipment Operator Recruitment Rules, 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Number of post, its classification and the scale of pay.—The number of post, its classification and the scale of pay attached thereto shall be as specified in columns 2 to 4 of the Schedule annexed hereto.

3. Method of recruitment, age limit and qualifications, etc.—The method of recruitment to the said post, age limit,

qualifications and other matters relating thereto shall be as specified in columns 5 to 13 of the said Schedule.

4. Disqualification.—No person,

(a) who has entered into or contracted a marriage with a person having a spouse living, or

(b) who, having a spouse living, has entered into or contracted a marriage with any person

shall be eligible for appointment to the said post:

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and that there are other grounds for so doing, exempt any person from the operation of this rule.

5. Power to relax.—Where the Central Government is of the opinion that it is necessary or expedient so to do, it may, by order, for reasons to be recorded in writing, relax any of the provisions of these rules with respect to any class or category of person.

6. Saving.—Nothing in these rules shall affect reservations, relaxation of age limit and other concessions required to be provided for the Scheduled Castes, the Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

**SCHEDULE**

Name of the post	No. of post	Classification	Scale of pay	Whether selection post or non-selection post.	Age limit for direct recruitment	Educational and other qualifications required for direct recruitment
1	2	3	4	5	6	7
Training Equipment Operator.	1 Note : subject to variation dependent on work load.	General Central Service Group 'C' Non-Gazetted. Non-Ministerial.	Rs. 330-8-370-10-400-EB-10-480.	Not applicable.	25 years (Relaxable for Govt. servants upto 35 years in accordance with the instructions or orders issued by the Central Govt.) Note : The crucial date for determining the age limit shall be the closing date for receipt of applications from candidates, in India (other than those in the Union territories	Essential : (1) Matriculation or equivalent preferably with Science subjects (2) Should have undergone training in the operation and upkeep of various training equipments, e.g. Projector, Scanning Machine Copy Machine, Tape Cassette recorders. (3) Atleast 2 years, experience of handling the above training equipments.

1	2	3	4	5	6	7
					of the Andaman and Nicobar Islands and Lakshadweep). In case of appointment through the Employment Exchanges, the crucial date shall be the last date upto which the Employment Exchanges are asked to submit the names.	
Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees	Period of probation, if any	Method of rectt., whether by direct recruitment or by promotion or by deputation/transfer and percentage of the vacancies to be filled by various methods	In case of rectt. by promotion /deputation/transfer, grades, from which promotion/deputation/transfer to be made	If a DPC exists, what is its composition	Circumstances in which UPSC is to be consulted in making rectt.	
8	9	10	11	12	13	
Not applicable	2 Years (for direct recruits)	By deputation/transfer, failing which by direct recruitment	Deputation/Transfer : Persons holding equivalent or analogous posts under the Central Government and possessing the qualifications prescribed for direct recruitment (period of deputation ordinarily not exceeding 3 yrs.)	Departmental Promotion Committee, Group 'C' (For considering confirmation). : 1. Deputy Secretary (A), Deptt. of Personnel and A.R.—Member 2. Director (E), Deptt. of Personnel & A.R.—Member. 3. Deputy Secretary (A), Ministry of Home Affairs —Member 4. Deputy Secretary (A), Deptt. of Personnel & A.R. (A.R. Wing) —Member. 5. Joint Secretary (V), Deptt. of Personnel & A.R.—Chairman	Not applicable	

[No. A. 12018/1/82-Ad. III]  
KALI PRASAD, Under Secy

नई दिल्ली 1 अक्टूबर, 1982

सा. का. नि. 880.—केन्द्रीय सरकार, अखिल भारतीय सेवा अधिनियम 1951 (1951 का 61) की धारा 3 की उपधारा (1) द्वारा प्रवृत्त शक्तियों का प्रयोग करते हुए, सम्बद्ध राज्यों की सरकारों से परामर्श करने के पश्चात् भारतीय पुलिस सेवा (बर्फी) नियम, 1954 का और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात्:—

1. (1) इन नियमों का संक्षिप्त नाम भारतीय पुलिस सेवा (बर्फी) संशोधन नियम, 1982 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. भारतीय पुलिस सेवा (बर्फी) नियम, 1954 की प्रस्तुतियों में—

(क) "पुनरीक्षण आदेश" से संबंधित पैरा 1 "टाइप (बी)" प्रबिष्टि के नीचे टिप्पण में "राज्य या बल का महानिरीक्षक" शब्दों के स्थान पर "राज्य पुलिस का भारसाधक यथा स्थिति पुलिस महानिदेशक और महानिरीक्षक/पुलिस महानिरीक्षक यथा बल का भारसाधक यथास्थिति महानिदेशक/महानिरीक्षक" शब्द रखे जाएंगे ;

(ख) "कार्यकारी पोशाक" शीर्षक के नीचे पैरा 2 में "टाइप (4)" प्रबिष्टि के नीचे टिप्पण में "राज्य या बल का महानिरीक्षक" शब्द रखे जाएंगे ;

शब्दों के स्थान पर" राज्य पुलिस का भारसाधक यथा स्थिति पुलिस महानिदेशक और महानिरीक्षक/पुलिस महानिरीक्षक भयवा बल का भारसाधक, यथास्थिति "महानिदेशक/महानिरीक्षक" शब्द रखे जाएंगे ;

(ग) "शीर्ष पोषाक" शीर्षक के नीचे पैरा 4 में "निदेशक आसूचना ब्यूरी, भारत सरकार" शब्दों के पश्चात् निम्नलिखित शब्द प्रस्तावित किए जाएंगे, अर्थात्:— पुलिस महानिदेशक और महानिरीक्षक ;

(घ) "श्रेणी की बैज" शीर्षक के अधीन पैरा 17 के नीचे—

(i) प्रविष्टि (ख) में मव (iv) के पश्चात् निम्नलिखित प्रस्तावित किया जाएगा, अर्थात्:—

"(v) आंध्र प्रदेश, असम, बिहार, गुजरात, जम्मू-कश्मीर, हिमाचल प्रदेश, कर्नाटक, केरल, महाराष्ट्र, मध्यप्रदेश, उड़ीसा, पंजाब, राजस्थान, तमिलनाडु, उत्तर प्रदेश और पश्चिमी बंगाल के पुलिस महानिदेशक और महानिरीक्षक" ;

(ii) प्रविष्टि (ग) में,

"(i) राज्यों के और दिल्ली तथा मिजोरम संघ राज्य क्षेत्र के पुलिस महानिरीक्षक," मद के स्थान पर निम्नलिखित रखा जाएगा, अर्थात्:—

"(ii) राज्यों, संघ राज्य क्षेत्र मिजोरम के पुलिस महानिरीक्षक और दिल्ली पुलिस आयुक्त"

(iii) प्रविष्टि (घ) की मव (ii) में "दिल्ली" पद का लोप किया जाएगा।

टिप्पणी:—मूल नियम राजपत्र सं० 158 तारीख 14-9-54 भाग I खण्ड (1) (प्रस्तावधारण) में प्रकाशित किए गए और तत्पश्चात् निम्नलिखित अधिसूचनाओं द्वारा संशोधित किए गए:—

क्रम संख्या	सा० का नि० सं०	तारीख
1.	122	15-3-58
2.	765	6-9-58
3.	208	25-2-61
4.	1717	27-11-65
5.	1113	29-7-67
6.	1448	21-1-69
7.	1595	5-7-69
8.	49	9-1-71
9.	749	22-5-71
10.	22 (ख)	11-1-72
11.	933	5-8-72
12.	11	11-1-75
13.	137	1-2-75
14.	256	28-2-76
15.	429	27-3-76
16.	939	23-7-77
17.	938	23-7-77
18.	1431	29-10-77
19.	1185	30-8-78

[सं० 11058/1/82-ए०आई०एस० (iii)]  
श्रीमती बिन्ता चोपड़ा, उप सचिव

New Delhi, the 1st October, 1982

G.S.R. 880.—In exercise of the powers conferred by sub-section (1) of Section 3 of the All India Services Act, 1951 (61 of 1951), the Central Government, after consultation with the Governments of the States concerned, hereby makes the following rules further to amend the Indian Police Service (Uniform) Rules, 1954, namely:—

1. (1) These Rules may be called the Indian Police Service (Uniform).....Amendment Rules, 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule to the Indian Police Service (Uniform) Rules, 1954:—

(a) in paragraph 1, relating to "Review Order", in the Note below the entry "Type (B)", for the words "Inspector General of the State or Force", the words "Director General and Inspector General of Police/Inspector General of Police, as the case may be, in charge of the State Police or Director General/Inspector General, as the case may be, in charge of the Force" shall be substituted;

(b) in paragraph 2, under the heading "Working Dress", in the Note below the entry "Type (4)", for the words "Inspector General of the State or Force", the words "Director General and Inspector General of Police/Inspector General of Police, as the case may be, in charge of the State Police or Director General/Inspector General, as the case may be, in charge of the Force", shall be substituted;

(c) in paragraph 4, under the heading "Head Dress" after the words, "The Director, Intelligence Bureau, Government of India", the following words shall be inserted, namely:—

"Directors General and Inspectors General of Police;"

(d) below paragraph 17 under the heading "Badges of Rank"—

(i) in entry (b), after item (iv), the following shall be inserted, namely:—

"(v) Director General and Inspector General of Police in the States of Andhra Pradesh, Assam, Bihar, Gujarat, Jammu & Kashmir, Himachal Pradesh, Karnataka, Kerala, Maharashtra, Madhya Pradesh, Orissa, Punjab, Rajasthan, Tamil Nadu, Uttar Pradesh and West Bengal";

(ii) in entry (c), for item—

"(i) Inspectors General of Police of the States and the Union Territories of Delhi and Mizoram", the following shall be substituted, namely:—

"(i) Inspectors General of Police in the States, Union Territory of Mizoram and Commissioner of Police, Delhi";

(iii) in entry (d), in item (ii), the expression "Delhi" shall be omitted.

NOTE:—Principle Rules were published vide Gazette No. 158 dated 14-9-1954 Part I Section (1) (Extraordinary) and were subsequently amended vide following notification:—

S.No.	G. S. R. No.	Date
1.	122	15-3-1958
2.	765	6-9-1958
3.	298	25-2-1961
4.	1717	27-11-1965
5.	1113	29-7-1967
6.	1448	21-6-1969
7.	1595	5-7-1969

1	2	3			
8.	49	9-1-1971	15.	229	27-3-1976
9.	749	22-5-1971	16.	939	23-7-1977
10.	22(E)	11-1-1971	17.	938	23-7-1977
11.	933	5-8-1972	18.	1431	29-10-1977
12.	11	11-1-1975	19.	1185	30-9-1978
13.	137	1-2-1975			
14.	256	28-2-1976			

[No. 11058/1/82-AIS(III)]

SMT. CHITRA CHOPRA, Dy. Secy.

नई दिल्ली, 7 अक्टूबर, 1982

सा. का. नि. 881.—राष्ट्रपति संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, संघ लोक सेवा आयोग (काडर बाह्य पद भर्ती, नियम, 1959 का और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात्:—

1. संक्षिप्त नाम और प्रारम्भ: (1) इन नियमों का संक्षिप्त नाम संघ लोक सेवा आयोग (काडर बाह्य पद) (भर्ती) (चतुर्थ संशोधन) नियम 1982 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. संघ लोक सेवा आयोग (काडर बाह्य पद) भर्ती नियम 1959 की अनुसूची में, सुरक्षा गारण्ड के पद से संबंधित मव 55 और उससे संबंधित प्रविष्टियों के पश्चात् निम्नलिखित मव और प्रविष्टियाँ जोड़ी जाएंगी, अर्थात्:—

“56. संघ लोक सेवा आयोग के कार्यालय में अभिलेखपाल पद के लिए भर्ती नियम

पद का नाम	पदों की संख्या	वर्गीकरण	बैतनमान	चयन पद अथवा अभ्ययन पद	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए आयु-सीमा	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए शैक्षिक और अन्य ग्रहणाएं
1	2	3	4	5	6	7
अभिलेखपाल	*22 (बाइस) *कार्यभार लिपिकवर्गीय के आधार पर परिवर्तन किया जा सकता है।	सामान्य केन्द्रीय सेवा समूह “ग” अराजपक्षित	225-5-260-6- 290-द. रो०-6- 308 रु०	चयन	लागू नहीं होता	लागू यही होता

सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित आयु और शैक्षिक ग्रहणाएं प्रोन्नति की वंशा में लागू होगी या नहीं

परिबीक्षा की प्रवृद्धि यदि कोई हो

भर्ती की पद्धति, भर्ती सीधे होगी या प्रोन्नति द्वारा या प्रतिनियुक्ति/स्थानांतरण द्वारा भर्ती किए जाने वाली रिक्तियों की प्रतिशतता

प्रोन्नति/प्रतिनियुक्ति/स्थानांतरण द्वारा भर्ती की वंशा में वे श्रेणियाँ जिसने प्रोन्नति/प्रतिनियुक्ति/स्थानांतरण किया जाएगा।

यदि विभागीय प्रोन्नति समिति है तो उसकी संरचना

भर्ती करने में किन परिस्थितियों में संघ लोक सेवा आयोग से परामर्श किया जाएगा

8	9	10	11	12*	13
लागू यही होता	दो वर्ष	प्रोन्नति द्वारा	प्रोन्नति : (i) 210-270/200-250 रु० बैतनमान वाले समूह “ग” पद धारण करने वाले ऐसे व्यक्तियों में से जिन्होंने उन श्रेणियों में छह वर्ष की कुल निय-	समूह “ग” विभागीय प्रोन्नति समिति अर्थात्:— 1. संयुक्त सचिव (प्रशासन)/ उप सचिव (प्रशासन), संघ लोक सेवा आयोग —अध्यक्ष	लागू नहीं होता”

\*विभागीय प्रोन्नति समिति की संरचना में समय समय पर परिवर्तन किया जा सकता है।

- मित सेवा की है।
- (ii) ऊपर (i) के न हो सकने पर ऐसे व्यक्ति जिन्होंने 210-270/200-250 रु० और 196-232 रु० के वेतनमान वाले पवों पर उच्च श्रेणियों में कुल मिलाकर आठ वर्ष की नियमित सेवा की है।
2. उप सचिव (सर्ती), संघ लोक सेवा आयोग—सदस्य
3. उप सचिव (बाह्य)—सदस्य

नाछणीय :

अंग्रेजी और/या हिन्दी में तेजी लिपिकीय कार्य कर सकने की योग्यता।

टिप्पण :—1 चयन के लिए केवल उन्हीं कर्मचारियों पर विचार किया जाएगा जिन्होंने मिडिल स्कूल स्तर पास कर लिया है।

टिप्पण :—2 चयन में, लिखित परीक्षण या साक्षात्कार या दोनों ही ले सकते हैं।

3. संघ लोक सेवा आयोग (काष्ठर बाह्य पद) भर्ती नियम, 1959 की अनुसूची में, अनुसंधान सहायक के पद से संबंधित मद सं० 11 के सामने स्तम्भ 11 के नीचे विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

“पदोन्नति:

ऐसे संगणक, जिन्होंने उस श्रेणी में 5 वर्ष नियमित सेवा की है। प्रतिनियुक्ति पर स्थानान्तरण / स्थानांतरण:

केन्द्रीय सचिवालय लिपिकीय सेवा के ऐसे उच्च श्रेणी लिपिकों और केन्द्रीय सचिवालय आधुनिक सेवा के ऐसे आधुनिक श्रेणी “ब” में से जिन्होंने अपनी अपनी श्रेणियों में तीन वर्ष नियमित सेवा की है और जिनके पास स्तम्भ 7 में विहित अर्हताएं हैं।

(प्रतिनियुक्ति की अवधि सामान्यतः तीन वर्ष से अधिक नहीं होगी।”

4. संघ लोक सेवा आयोग (काष्ठर बाह्य पद) भर्ती नियम, 1959 की अनुसूची में, आफसेट मुद्रण मशीन प्रचालक के पद से संबंधित क्रम सं० 33 में—

(i) स्तम्भ 4 में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

“425-15-500-रु० रो० -15-560- 20- 700 रु० ;

(ii) स्तम्भ 6 में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

“28 वर्ष से अधिक नहीं (केन्द्रीय सरकार द्वारा जारी किए गए अनुदेशों या आदेशों के अनुसार सरकारी सेवकों के लिए शिबिल करके 35 वर्ष तक की जा सकती है।

टिप्पण : आधु सीमा अवधारित करने के लिए निर्णायक तारीख वह अंतिम तारीख होगी जो रोजगार कार्यालय से नाम भेजने के लिए नियत की गई है।”;

(iii) स्तम्भ 7 में विद्यमान प्रविष्टि के लिए निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

(अ) वधयक:

(i) किसी मास्यताप्राप्त विश्वविद्यालय, स्कूल बोर्ड से मैट्रिक उत्तीर्ण या समतुल्य।

(ii) औद्योगिक प्रशिक्षण संस्थान या व्यवसायिक संस्थान या किसी अन्य मान्यता प्राप्त संस्था से मुद्रण व्यवसाय में प्रमाणपत्र।

(iii) आफसेट मुद्रण मशीनों के प्रचलन में कम से कम पांच वर्ष का व्यावहारिक अनुभव।

(iv) आफसेट मुद्रण मशीन के समायोजन और उसमें स्नेहन का तथा मशीन में प्रयोग की जाने वाली स्पाही और रसायनों का अच्छा ज्ञान।

टिप्पण : 2 अनुभव संबंधी अर्हता (अर्हताएं) सक्षम प्राधिकारी के विवेकानुसार अनुसूचित जातियों अथवा अनुसूचित जनजातियों के अभ्यर्थियों के मामले में उस वक्ता में शिबिल की जा सकती है (है) जब कि चयन के किसी प्रक्रम पर सक्षम प्राधिकारी को यह राय हो कि इनके लिए आरक्षित रिक्त स्थानों को भरने के लिए अपेक्षित अनुभव रखने वाले इन समुदायों के अभ्यर्थी पर्याप्त संख्या में उपलब्ध नहीं हो सकेंगे।

(v) स्तम्भ 10 में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

“प्रतिनियुक्ति पर स्थानान्तरण / स्थानांतरण द्वारा, जिसके न हो सकने पर सीधी भर्ती द्वारा।”

(vii) स्तम्भ II में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात :—

“प्रतिनियुक्ति पर स्थानांतरण/स्थानांतरण :

केन्द्रीय सरकार के अधीन ऐसे अधिकारी, जो सवृत्त पद धारण किए हुए हैं या जिन्होंने 330-560 रु० के या समतुल्य वेतनमान पवों पर कम से कम 5 वर्ष सेवा की है और जिनके पास स्तम्भ 7 सीधे भर्ती किए जाने वाले व्यक्तियों के लिए यथाविहित शैक्षिक अर्हताएं, अनुभव आदि हैं।

(प्रतिनियुक्ति की अवधि सामान्यतः 3 वर्ष से अधिक नहीं होगी।”;



(vi) स्तम्भ 12 में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात् :—

(घुष्टि पर विचार करने के लिए) समूह ग विभागीय प्रोन्नति समिति—

(i) संयुक्त सचिव (प्रशासन), संघ —अध्यक्ष  
लोक सेवा आयोग।

(ii) उप सचिव (भर्ती) संघ लोक —सदस्य  
सेवा आयोग।

(iii) भारत सरकार के किसी भी अन्य —सदस्य";  
मंत्रालय/विभाग से उप सचिव।

(vii) स्तम्भ 13 में विद्यमान प्रविष्टि के स्थान पर निम्नलिखित प्रविष्टि रखी जाएगी, अर्थात् :—

"लगू नहीं होता"।

[सं० 39017 / 1 / 80-स्था० (ख)]

जे० के० शर्मा निदेशक

New Delhi the, 7th October, 1982

**G.S.R. 881.**—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Union Public Service Commission (Ex-cadre Posts) Recruitment Rules, 1959, namely:—

1. (1) These rules may be called the Union Public Service Commission (Ex-cadre Posts) Recruitment (Fourth Amendment) Rules, 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule to the Union Public Service Commission (Ex-cadre Posts) Recruitment Rules, 1959, after item 55 relating to the post of Security Guard and the entries relating thereto, the following item and entries shall be added, namely:—

**"56. RECRUITMENT RULES FOR THE POST OF RECORD KEEPER IN THE OFFICE OF THE UNION PUBLIC SERVICE COMMISSION**

Name of the post	No. of posts	Classification	Scale of pay	Whether selection post or non-selection post	Age limit for direct recruits	Educational and other qualifications required for direct recruits
1	2	3	4	5	6	7
Record Keeper	22 (Twenty two)*	General Central Service Group 'C' Non-Gazetted, Ministerial.	Rs. 225-5-260-6-290-EB-6-308.	Selection	Not applicable	Not applicable

\*Subject to variation  
According to workload.

Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotions	Period of Promotion	Method of recruitment whether by direct recruitment or by promotion or by deputation/transfer and the percentage of the vacancies to be filled by various methods	In case of recruitment by promotion/deputation/transfer, grades from which promotion/deputation/transfer to be made	If a Departmental Promotion Committee exists, what is its composition	Circumstances in which Union Public Service Commission is to be consulted in making recruitment.
8	9	10	11	12	13
Not applicable	Two years	By promotion	Promotion : (i) Persons holding Group 'D' posts in the scale of Rs. 210-270/200/250 with six years total regular service in the grades. (ii) Failing (i) above, persons holding Group 'D' posts in the scale of Rs. 210/270/200/250 and Rs. 196-232 with eight years' total regular service in the grades. Desirable : Ability to handle routine clerical jobs in English and/or Hindi. Note 1 : Only those employees will be considered for selection, who have passed the Middle School Standard. Note 2. The selection may include a written test or interview or both.	Group 'C' Departmental Promotion Committee, viz. 1. Joint Secretary (Administration)/Deputy Secretary (Admn.), Union Public Service Commission—Chairman. 2. Deputy Secretary (Recruitment), Union Public Service Commission—Member 3. Deputy Secretary (External)—External Member *The composition of Departmental Promotion Committee may vary from time to time.	Not applicable

3. In the Schedule to the Union Public Service Commission (Ex-cadre Posts) Recruitment Rules, 1959, in Item No. 11 relating to the post of Research Assistant, in column 11, for the existing entry, the following entry shall be substituted, namely:—

“Promotion :

Computers with at least five years' regular service in the Grade.

Transfer on Deputation/Transfer:

Upper Division Clerks of the Central Secretariat Clerical Service and Stenographers Grade 'D' of the Central Secretariat Stenographers Service with at least three years' regular service in the respective Grades and possessing the qualifications prescribed in column 7.

(Period of deputation shall ordinarily not exceed three years).

4. In the Schedule to the Union Public Service Commission (Ex-cadre Posts) Recruitment Rules, 1959, in Serial No. 33 relating to the post of Offset Printing Machine Operator—

(i) in column 4 for the existing entry, the following entry shall be substituted, namely:—

“Rs. 425-15-500-EB-15-560-20-700”;

(ii) in column 6 for the existing entry, the following entry shall be substituted namely :

“Not exceeding 28 years (Relaxable upto the age of 35 years for Government servants in accordance with the instructions or orders issued by the Central Government).

Note: The crucial date for determining the age limit shall be the last date fixed for sending names by the Employment Exchange”;

(iii) in column 7 for the existing entry, the following entry shall be substituted, namely:—

“Essential:

(i) Matric pass or equivalent from a recognised University, Board of School.

(ii) Certificate in Printing Trade from Industrial Training Institute or Vocational Institute or any other recognised Institution.

(iii) At least five years practical experience in the operation of Offset Printing Machines.

(iv) Good knowledge of adjustment and lubrication of the Machine, inks and chemicals used in the Offset Printing Machine.

Note:

The qualification regarding experience is relaxable at the discretion of the appointing authority in the case of candidates belonging to the Scheduled Castes and the Scheduled Tribes, if at any stage of the selection, the appointing authority is of the opinion that sufficient number of candidates from these communities possessing the requisite experience are not likely to be available to fill up the vacancies reserved for them”.

(iv) in column 10 for the existing entry, the following entry shall be substituted, namely:—

“By transfer on deputation/transfer failing which by direct recruitment”;

(v) in column 11 for the existing entry, the following entry shall be substituted, namely:—

“Transfer on deputation/Transfer :

Officers under the Central Government holding analogous posts or with at least five years' service in posts in the scale of Rs. 330-560 or equivalent and possessing the educational qualifications, experience etc. as laid down for direct recruits in column 7.

(Period of deputation shall ordinarily not exceed three years)”.  
(vi) in column 12 for the existing entry, the following entry shall be substituted namely :—

“Group ‘C’ Departmental Promotion Committee (for considering confirmation):

(i) Joint Secretary (Administration)

Union Public Service Commission.—Chairman

(ii) Deputy Secretary (Recruitment),

Union Public Service Commission —Member

(iii) Deputy Secretary from any other

Ministry/Department in the Govern-

ment of India, — Member

and

(vii) in column 13 for the existing entry, the following entry shall be substituted, namely:—

“Not applicable”.

PRINCIPAL RULES PUBLISHED VIDE NOTIFICATION  
G.S.R. NO. 1055, DATED 19-9-1959, GAZETTE OF INDIA,  
1959, PART II, SECTION 3, SUB-SECTION(i)

Subsequently amended by:—

S. No.	G.S.R. No.	Date of Publication
1	2	3
1.	G.S.R. No. 1055	19-9-1959
2.	GSR No. 765	10-6-1961
3.	GSR No. 1365	20-10-1962
4.	GSR No. 1302	12-9-1964
5.	GSR No. 1379	24-8-1963
6.	GSR No. 188	6-2-1965
7.	GSR No. 284	27-2-1965
8.	GSR No. 571	7-4-1965
9.	GSR No. 813	16-6-1965
10.	GSR No. 1369	18-9-1965
11.	GSR No. 1396	17-9-1966
12.	GSR No. 694	15-5-1967
13.	GSR No. 381	2-3-1968
14.	GSR No. 832	11-5-1968
15.	GSR No. 895	18-5-1968
16.	GSR No. 1080	8-6-1968
17.	GSR No. 1495	28-6-1969
18.	GSR No. 1749	26-7-1969
19.	GSR No. 278	28-2-1970
20.	GSR No. 2788	27-12-1969
21.	GSR No. 457	21-3-1970
22.	GSR No. 599	11-4-1970
23.	GSR No. 1704	26-9-1970
24.	GSR No. 582	20-5-1972
25.	GSR No. 583	20-5-1972
26.	GSR No. 1338	21-10-1972
27.	GSR No. 1246	7-10-1972
28.	GSR No. 1350	23-10-1972
29.	GSR No. 1401	11-11-1972

1	2	3
30.	GSR No. 1400	11-11-1972
31.	GSR No. 308	31-3-1973
32.	GSR No. 571	26-1-1974
33.	GSR No. 172	16-2-1974
34.	GSR No. 228	2-3-1974
35.	GSR No. 5451	8-6-1974
36.	GSR No. 1362	28-12-1974
37.	GSR No. 2593	1-11-1975
38.	GSR No. 1679	4-12-1976
39.	GSR No. 1764	25-12-1976
40.	GSR No. 509	22-4-1978
41.	GSR No. 1419	1-12-1979
42.	GSR No. 1421	1-12-1979
43.	GSR No. 609	7-6-1980
44.	GSR No. 271	13-3-1982
45.	GSR No. 382	17-4-1982
46.	GSR No. 695	21-8-1982

[No. 39017/1/80-Estt. (B)]  
J.K. SARMA, Director (E)

**MINISTRY OF INDUSTRY**  
(Department of Industrial Development)  
**Central Boilers Board**

New Delhi, the 1st October, 1982

**G.S.R. 882.**—Whereas certain regulations, further to amend the Indian Boiler Regulations, 1950, were published as required by sub-section (1) of section 31 of the Indian Boilers Act, 1923 (5 of 1923) at page 653-661 of the Gazette of India, Part II-Section 3-Sub-Section (i), dated the 13th March, 1982 under the notification of the Government of India in the Ministry of Industry (Department of Industrial Development) (Central Boilers Board) No. G.S.R. 277, dated the 26th December 1981 inviting objections and suggestions from all persons likely to be affected thereby till the 9th May, 1982;

And whereas the said Gazette was made available to the public on the 25th March, 1982;

And whereas no objections or suggestions have been received;

Now, therefore, in exercise of the powers conferred by section 28 of the Indian Boilers Act, 1923 (5 of 1923), the Central Boilers Board hereby makes the following regulations further to amend the Indian Boiler Regulations, 1950, namely:—

1. (1) These regulations may be called by the Indian Boiler (Third Amendment) Regulations, 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Indian Boiler Regulations, 1950 (hereinafter referred to as the said regulations)—(1) in regulation 282, for clause (b) and (c) the following clauses shall respectively be substituted, namely:—

“(b) Limits of cast Iron.—Cast Iron shall not be used for.—

(a) Temperatures above 220 °C;

(b) Pressure exceeding 13 bar gauge;

(c) Valves exceeding 200 mm nominal bore which are connected directly to the boiler.

(d) Wedge or double disc gate valves which are connected directly to the boiler.

(e) Boiler blow down fittings.

Explanation.—The expression ‘connected directly to the boiler’ covers and valve which cannot itself be isolated from the boiler.

(c) Limits of copper alloy.—Copper alloy shall not be used for temperatures above 225° where the valves are connected directly to the boiler. In the case of valves not connected directly to the boiler this temperature limitation may be increased to 260°C”;

(2) in regulation 290, (a) in clause (a) the following shall be inserted at the end namely:—

“Hydraulic test shall be made with water which may contain a corrosion inhibitor, with kerosene or with other suitable liquid provided its viscosity is not greater than that of water at a test temperature not above 52 °C”;

(b) after clause (d), the following clause shall be added, namely:—

(e) The working pressure and the minimum thickness of the steel valve chest of spherical cross section shall be determined by the following formula, namely—

$$4f(T-C)$$

Working Pressure

$$D-0.8(T-C)$$

$$WP \times D$$

$$T = \frac{WP \times D}{4f + 0.8WP} + C$$

$$4f + 0.8WP$$

Where T=the minimum thickness of the chest.

D=the external diameter of the chest.

f=allowable stress for the material to be determined on the basis given in clause (d) above.

C=the minimum positive tolerance as specified hereunder;

For Cast Steel chest C=5 mm.

For Forged or stainless steel chest C=2.5 mm”;

(3) in regulation 292, for clauses (a), (b) and (c) the following clauses shall respectively be substituted, namely:—

“(a) Ordinary lift safety valve.—A safety valve in which the valve head lifts automatically a distance of at least D/24 with an over-pressure not exceeding 10% of the set pressure. There shall not be any mechanical stop which would prevent the valve head from being lifted a distance of at least D/8. D is the minimum bore of the body seat.

(b) High lift safety valve.—A safety valve in which the valve head lifts automatically a distance of at least D/12 with an over pressure not exceeding 10% of the set pressure. There shall not be any mechanical stop which would prevent the valve head from being lifted a distance of at least D/8.

D is the minimum bore of the body seat.

(c) Full lift safety valve. A safety valve in which the valve head lifts automatically a distance such that the area of discharge which limits the flow through the valve is between 100% and 80% of the minimum area at any section at or below the body seat. This lift is achieved by a rapid opening within an over pressure not exceeding 5% of the set pressure.”;

(4) In regulation 293, for clause (a) and (b) the following clauses shall be substituted, namely —

“(a) Discharged capacity of Safety Valves. (a) saturated steam. The rated discharge capacity of a safety valve which discharges saturated steam shall be calculated using the following equation :

$$E = CAP \dots \dots \dots \text{Eqn. (78)}$$

Where E= is the rated discharged capacity of saturated steam (Kg/h);

P= is the highest pressure of any safety valve mounted on the boiler (bar absolute);

A= is the area (mm<sup>2</sup>);

For the ordinary lift and high lift safety valves A is the area of the minimum bore of the body seat. For full lift safety valves A is the area of discharge described in clause (c) of regulation 292 and its valve can only be obtained from the safety valve manufacturers. C is a constant taken from the

following table, appropriate to the type of the valve or as established by tests carried out in accordance with Appendix L.

Type of valve	Value of the constant 'C'
Ordinarily lift	0.05
High lift	0.10
Full lift	0.24

(b) Superheated steam.—The rated discharge capacity of a safety valve which discharges super heated steam shall be calculated using the following equation :—

$$ES = \frac{E}{\sqrt{1 + \frac{2.7 T_s}{1000}}} \quad \text{Eqn. (79)}$$

Where  $E_s$  is the rated discharge capacity of super heated steam (kg/h);

$E$  is the rated discharge capacity of saturated steam calculated using equation (78) (Kg/h).

$T_s$  is the degree of superheat °C.

Equation 79 may be used to determine the rated discharge capacity of safety valves at upper-critical steam pressure. In these cases the saturation temperature of the steam shall be taken as 375°C.

(5) for regulation 294, the following regulation shall be substituted, namely :—

"Over Pressure of safety valves. Safety valves shall be so designed that they attain the rated discharge capacity with an over pressure not greater than that given in regulation 292".

(6) for regulation 295, the following regulation shall be substituted, namely :—

"295.—Pressure Drop.—The safety valves shall reseal at a pressure at least 2.5% below, but not more than 5% below the safety valve set pressure. The 5% limit is increased to 10% for valves having a body seat bore less than 32mm and/or having a set pressure of 2 bar gauge or less".

(7) for regulation 296, the following regulation shall be substituted, namely :—

"296.—Mountings of safety valves.—(a) Safety valves shall be mounted, without any intervening valve, on pads or branches used for no other purpose. The axis of the valve shall be vertical. The cross-sectional area of the bore of each pad or branch shall be at least equal to the area of the bore at the inlet of the safety valve, or where two or more safety valves are mounted on the same pad or branch, at least equal to the sum of the areas of the inlet bores of all the safety valves.

(b) Branches shall be as short as possible so as not to impair the proper action of the safety valves or impose any undue stress on the branches at their point of attachment to the boiler. Nothing shall obstruct free flow to the safety valve. Branches, particularly when full lift safety valves are mounted on them, should be radiused at the inlet. The inlet and outlet flanges shall be drilled in accordance with the approximate table in App. E for the diameters of flanges adopted."

(8) in regulation 302, in clause (b), after the first sentence, the following sentence shall be inserted, namely :—

"Interference with load on the spring, after the safety valve has been adjusted, shall be prevented by the fitting of a ferrule under the adjusting screw collar, or by using a lock nut on the adjusting screw which shall be further safeguarded by means of a padlock or other suitable device."

(9) after regulation 306 of the following regulation shall be inserted, namely :—

"306A.—Adjustment of safety valve set pressure.—The set pressure of a safety valve may be adjusted using air or other gas as the test medium provided that the safety valve

has been subjected previously to hydraulic test in accordance with the requirement of clause (a) of regulation 290";

(10) in regulation 307, in clause (a), after the last sentence, the following sentence shall be inserted, namely :—

"All the springs above 16 mm bar diameter shall be formed hot and the springs below 16 mm bar diameter shall be formed hot or cold. The springs shall be suitably hardened and tempered."

(11) in regulation 343, after sub-regulation (3), the following sub-regulations shall be inserted, namely :—

"(4) Electric fusion welded pipes in which the butt-welds are fully radiographed or ultrasonically tested need not be hydraulically tested in the shops provided the pipe system as a whole is hydraulically tested at site to the requisite test pressure in accordance with regulation 374.

(5) In the case of fusion welded pipes test plates to represent all welded seams shall be attached at each end of longitudinal seam and tested in accordance with the requirements of Chapter XII except that one test plate may represent a lot of pipes up to 60 metres in length and of the same grade of material and same thickness of the pipe subject to the same heat treatment."

(12) for regulation 350, the following regulation shall be substituted, namely :—

"350. Steel pipes.—The maximum working pressure allowed on steel pipes shall be determined by the following formula :—

(a) where the outside diameter is the basis for calculation,

$$W.P. = \frac{2fe(t-c)}{D-t+c} \quad \text{Equation 91}$$

(b) where the inside diameter is the basis for calculation,

$$W.P. = \frac{2fe(t-c)}{d+t-c} \quad \text{Equation 91A}$$

Where  $t$  = Minimum thickness

$WP$  = Maximum working pressure

$f$  = Allowable stress as specified in table 3 of regulation 343.

$D$  = Outside diameter of pipe.

$d$  = Inside diameter of pipe.

$c$  = Efficiency factor.

= 1.0 for seamless and for electric resistance welded steel pipes and for electric fusion welded steel pipes complying with the requirements of Chapter II in which the weld is fully radiographed or ultrasonically tested.

= 0.95 for electric fusion welded steel pipes complying with the requirements of Chapter II

= 0.90 for welded steel pipes for values of  $t$  up to and including 22 mm.

= 0.85 for welded steel pipes for values of  $t$  over 22 mm and upto and including 29 mm.

= 0.80 for welded steel pipes for values of  $t$  over 29mm

$C=0.1 \text{ cm}$ .

(13) in regulation 360, in clause (b), for the opening paragraph, the following paragraph shall be substituted, namely :—

"Where pipes are butt-welded together, such welds shall be effectively stress-relieved when the wall thickness is 20 mm thick or greater or carbon content of the steel exceeds 0.25% or pipes are made of alloy steel in accordance with the following "

(14) in regulation 361, after clause (b), the following clause shall be inserted, namely :—

"(c) For the forged bends, the radii shall be not less than those given below :—


Long radii forged bends  $R = 1.5 \text{ xd}$   
Short radii forged bends  $R = 1.0 \text{ xd}$

The thickness at any point of the bend shall not be less than 87.5% of the nominal thickness of the bend. The thickness at any point of the bend shall be such that the minimum thickness required by equation 91 is maintained throughout after finishing operation.

(15) after regulation 361, the following regulation shall be inserted, namely :—

"361A. Butt-welding fittings.—The Butt-welding fittings shall conform to the dimension and tolerances given in the tables given below :—

## STEEL BUTT WELDING FITTINGS




Nominal Diameter	d	R	L ≈
25	33.7	38	22
32	42.4	48	25.5
40	48.3	57	28.5
50	60.3	76	35
65	76.1* 73.0	95	45
80	88.9	114	51
100	114.3	152	63.5
125	139.7* 141.3	191	80
150	168.3	229	95
200	219.1	305	127
250	273.0	381	159
300	323.9	457	190
350	355.6	533	223
400	406.4	610	254
450	457.2	686	286
500	508.0	762	318
600	609.6	914.5	381

\* Required O D to be specified


## NOTES :-

1. d = Outside diameter in mm.
2. R = Radius of bend in mm.
3. L = Approximate tangent length in mm.

## STEEL BUTT WELDING REDUCERS



CONCENTRIC REDUCER



ECCENTRIC REDUCER

Nominal Diameter	Out Side Dia.		L
	d	d <sub>1</sub>	
25 x 10		17.2	
25 x 15	33.7	21.3	51
25 x 20		26.9	
32 x 15		21.3	
32 x 20	42.4	26.9	51
32 x 25		33.7	
40 x 15		21.3	
40 x 20	48.3	26.9	64
40 x 25		33.7	
40 x 32		42.4	
50 x 20		26.9	
50 x 25	60.3	33.7	76
50 x 32		42.4	
50 x 40		48.3	
65 x 25	*	33.7	
65 x 32	76.1	42.4	89
65 x 40	73.0	48.3	
65 x 50		60.3	
80 x 25		33.7	
80 x 32		42.4	
80 x 40	88.9	48.3	89
80 x 50		60.3	
80 x 65		76.1	

Nominal Diameter	Out Side Dia.		L
	d	d <sub>1</sub>	
100 x 25		33.7	
100 x 32		42.4	
100 x 40		48.3	
100 x 50	114.3	60.3	102
100 x 65		76.1	
100 x 80		88.9	
125 x 50	*	60.3	
125 x 65	139.7	76.1	127
125 x 80	141.3	88.9	
125 x 100		114.3	
150 x 50		60.3	
150 x 65		76.1	
150 x 80	168.3	88.9	140
150 x 100		114.3	
150 x 125		139.7	
200 x 80		88.9	
200 x 100		114.3	
200 x 125	219.1	139.7	152
200 x 150		168.3	
250 x 80		88.9	
250 x 100		114.3	
250 x 125	273	139.7	178
250 x 150		168.3	
250 x 200		219.1	


Nominal Diameter	Out Side Dia.		L
	d	d <sub>1</sub>	
300 x 100		114.3	
300 x 125		139.7	
300 x 150	323.8	168.3	203
300 x 200		219.1	
300 x 250		273	
350 x 150		168.3	
350 x 200	355.6	219.1	330
350 x 250		273	
350 x 300		323.8	
400 x 200		219.1	
400 x 250	406.4	273	356
400 x 300		323.8	
400 x 350		355.6	
450 x 250		273	
450 x 300	457.2	323.8	381
450 x 350		355.6	
450 x 400		406.4	
500 x 300		323.8	
500 x 350	508	355.6	508
500 x 400		406.4	
500 x 450		457.2	
600 x 400		406.4	
600 x 450	609.6	457.2	508
600 x 500		508.0	

\* Required O.D. to be specified.


## Notes:-

1. d = Outside diameter of the big end.
2. d<sub>1</sub> = Outside diameter of the small end.
3. L = Overall length.

## STEEL BUTT WELDING TEES



EQUAL TEE



UNEQUAL TEE



Nominal Diameter	External Diameter		L	L <sub>1</sub>	Nominal Diameter	External Diameter		L	L <sub>1</sub>	Nominal Diameter	External Diameter		L	L <sub>1</sub>
	d	d <sub>1</sub>				d	d <sub>1</sub>				d	d <sub>1</sub>		
25 × 25 × 10		17.2			100 × 100 × 40		48.3		86	300 × 300 × 100		114.3		216
25 × 25 × 15		21.3			100 × 100 × 50		60.3		89	300 × 300 × 125		139.7		216
25 × 25 × 20	33.7	26.9	38	38	100 × 100 × 65	114.3	76.1	105	95	300 × 300 × 150	323.9	168.3	254	219
25		—			100 × 100 × 80		88.9		98	300 × 300 × 200		219.1		229
32 × 32 × 15		21.3			100		—		—	300 × 300 × 250		273		241
32 × 32 × 20		26.9			125 × 125 × 50	*	60.3		105	300		—		—
32 × 32 × 25	42.4	33.7	48	48	125 × 125 × 65	139.7	76.1		108	350 × 350 × 150		168.3		238
32		—			125 × 125 × 80	141.3	88.9	124	111	350 × 350 × 200		219.1		248
40 × 40 × 15		21.3			125 × 125 × 100		114.3		117	350 × 350 × 250	355.6	273	279	257
40 × 40 × 20		26.9			125		—		—	350 × 350 × 300		323.9		270
40 × 40 × 25	48.3	33.7	57	57	150 × 150 × 50		60.3		121	350		—		—
40 × 40 × 32		42.4			150 × 150 × 65		76.1		121	400 × 400 × 150		168.3		264
40		—			150 × 150 × 80		88.9		124	400 × 400 × 200		219.1		273
50 × 50 × 20		26.9		45	150 × 150 × 100	168.3	114.3	143	130	400 × 400 × 250	406.4	273	305	283
50 × 50 × 25		33.7		51	150 × 150 × 125		139.7		137	400 × 400 × 300		323.9		295
50 × 50 × 32	60.3	42.4	64	64	150		—		—	400 × 400 × 350		355.6		305
50 × 50 × 40		48.3		60	200 × 200 × 80		88.9		152	400		—		—
50		—		—	200 × 200 × 100		114.3		156	450 × 450 × 200		219.1		298.4
65 × 65 × 25	*	33.7		57	200 × 200 × 125	219.1	139.7	178	162	450 × 450 × 250		273		308
65 × 65 × 32	76.1	42.4		64	200 × 200 × 150		168.3		168	450 × 450 × 300		323.9		320.7
65 × 65 × 40	73.0	48.3	76	67	200		—		—	450 × 450 × 350	457.2	355.6	342.9	330.2
65 × 65 × 50		60.3		70	250 × 250 × 80		88.9		184	450 × 450 × 400		406.4		330.2
65		—		—	250 × 250 × 100		114.3		184	450		—		—
80 × 80 × 25		33.7		67	250 × 250 × 125	273	139.7	216	190	500 × 500 × 200		219.1		323.8
80 × 80 × 32		42.4		70	250 × 250 × 150		168.3		194	500 × 500 × 250		273		333.4
80 × 80 × 40	88.9	48.3	86	73	250 × 250 × 200		219.1		203	500 × 500 × 300		323.9		346.1
80 × 80 × 50		60.3		76	250		—		—	500 × 500 × 350	508	355.6	381	355.6
80 × 80 × 65		76.1		83						500 × 500 × 400		406.4		355.6
80		—		—						500 × 500 × 450		457.2		368.9
										500		—		—

\* Required O.D. to be specified.

## Notes :-


1. d = Outside diameter of the run pipe and branch in case of equal tee.
2. d<sub>1</sub> = Outside diameter of the branch in case of unequal tee.
3. L = Distance of centre to end of run.
4. L = Distance of centre to end of branch.

# TOLERANCE OF STEEL BUTT WELDING FITTINGS




All Fittings				90° & 45° Elbows and Tees	Reducers	180° Returns			Caps	Lap-joint stub-end			
DN	O. D. at bevel	I. D. at end	Wall thickness	Centre to end A, B, C M, M <sub>1</sub>	Over all length H	Centre to centre O	Back to face K	Align-ment of end U	Over all length E	End to end F	Radius R	Dia. of lap G	Thick-ness of lap T
15 to 65	+1.6 -0.8	±0.8	Not less than 87½% of nominal thickness	±1.6	±1.6	±6.4	±6.4	±0.8	±3.2	±1.6	+0 -0.8	+0 -0.8	+1.6 -0
80 to 90	±1.6	±1.6		±1.6	±1.6	±6.4	±6.4	±0.8	±3.2	±1.6	+0 -0.8	+0 -0.8	+1.6 -0
100	±1.6	±1.6		±1.6	±1.6	±6.4	±6.4	±0.8	±3.2	±1.6	+0 -1.6	+0 -0.8	+1.6 -0
125 to 200	+2.4 -1.6	±1.6		±1.6	±1.6	±6.4	±6.4	±0.8	±6.4	±1.6	+0 -1.6	+0 -0.8	+1.6 -0
250 to 450	+4.0 -3.2	±3.2		±2.4	±2.4	±9.5	±6.4	±1.6	±6.4	±2.4	+0 -1.6	+0 +1.6	+1.6 -0
500	+6.4 -4.8	±4.8		±2.4	±2.4	±9.5	±6.4	±1.6	±6.4	±2.4	+0 -1.6	+0 -1.6	+1.6 -0

"OFF-SQUARE" TOLERANCES		
Nominal size of Fitting	"Off-square" Tolerance, X	"Off-square" Tolerance, Y
Up to and including 100	0.8	1.6
125 to 150	1.2	2.4
200 to 600	1.6	3.2
> 600	3.2	6.4





## DIMENSIONS OF CAPS



1	2	3	4	5
Nominal pipe size	Diameter d	Length E (See Note 2)	Limiting wall thickness for Length E	Length E1 (See Note 3)
20	26.9	25	3.91	25.4
25	33.7	38	4.55	38.1
32	42.4	38	4.85	38.1
40	48.3	38	5.08	38.1
50	* 60.3	38	5.54	44.5
65	76.1 / 73.0	38	7.01	50.8
80	88.9	51	7.62	63.5
100	114.3	64	8.56	76.2
125	* 139.7 / 141.3	76	9.53	88.9
150	168.3	89	10.97	102
200	219.1	102	12.70	127
250	273	127	12.70	152
300	323.9	152	12.70	178
350	355.6	165	12.70	191
400	406.4	178	12.70	203
450	457.2	203	12.70	229
500	508	229	12.70	254
600	609.6	267	12.70	305
700	720	267		
800	820	267		
900	920	267		

\* Required O.D to be specified

**Notes:-**

1. Caps are to be of semi-ellipsoidal shape and are to have a length of straight to make the overall length as specified in Columns 3 and 5. The height of the semi-ellipsoidal portion, measured externally, is to be not less than one quarter of the internal diameter of the cap.
2. Lengths E apply to caps of wall thicknesses not exceeding those given in Col. 4.
3. Lengths E<sub>1</sub> apply to caps of wall thicknesses greater than those given in Col. 4.
4. d = Outside diameter in mm  
E or E<sub>1</sub> = Overall length

(16) in regulation 562, for the first paragraph, the following paragraph shall be substituted, namely:—

“Heat treatment—All boilers constructed to Class I or Class II requirements shall be stress-relieved by heat treatment after completion of all welding and before hydraulic test if any plate is 20 mm thick or greater or carbon content of the steel exceeds 0.25% of the material used in the construction of boiler is alloy steel”.

3. In Form III of the said regulations, against item No. 11, for the existing entries the following entries shall be substituted, namely:—

“Details of the safety valves and test results

Manufacturer .....  
Identification marks of valves .....  
Maker's No. ....  
Type .....  
Lift (mm).....Drawing Nos.....

Valves details:

Material .....  
Valve Seat .....  
Flat/Bevel .....  
Diameter of valve seating.....

Valve Body:

Material .....  
Opening at neck.....  
Opening at outlet.....

Springs: ?

Material .....  
Process of manufacture.....  
Chemical composition .....

Dimensions :

Outside diameter of coil.....  
Section of wire.....  
Number of coils.....  
Free length of coils.....

Test results:

Place of test.....date.....  
Blow off pressure .....  
Closing down pressure .....

Remarks:

Does the valve chatter?.....  
Does the valve seat leak?.....  
Blow off pressure .....  
Type of valve and extract of test results.....  
Type of valve .....  
Place of test.....date.....  
Constant 'C' by test results.....  
Capacity of the valve for the intended blow off pressure .....

Signature of Maker's representative

Inspecting  
Authority  
witnessing  
tests.”

4. In Form III-C of the said regulations, for the paragraphs beginning with the words “The part” and ending with the words “appended hereunder” the following paragraph shall be substituted, namely:—

“The part has been designed and constructed to comply with the Indian Boiler Regulations for a working pressure

of——— and satisfactorily withstood a Hydraulic test using water or Kerosene or with any other suitable liquid in accordance with the provisions of clause (a) of regulation 290 on the day of.....19..... in the presence of our responsible representative whose signature is appended hercinuder.”

5. Below Form III-C of the said regulations, the following shall be inserted, namely:—

“Strike out which is not applicable.”

6. In Appendix ‘G’ of the said regulations, in the list of “Well known Steel Makers” the following entries shall be added at the end, namely:—

“67. M/S Durgapur Steel Plant,  
Durgapur-7132013.

7. In appendix ‘K’ to the said regulations,

(1) in the list of “Well known Foundries”, the following entries shall be added at the end, namely:—

35. M/S Vidyut Steel Ltd.,  
5.9 22/1A, 2nd Floor,  
Shapurwadi, Hyderabad-500483

36. M/S Best & Crompton Engineering Ltd.,  
7th Nile Kanakapura Road,  
Bangalore-560 011.”

(2) in the list of Well-known Forge,

(i) for Sl. No. 15 and entry relating thereto, the following Sl. No. and entry thereof shall be substituted namely:—

“15. M/S Lakshmi Industrial Forge and Engineers  
Private Limited,  
4 & 6 B.C.I. Estate,  
Old Madras Road,  
Bangalore-560016”

(ii) in the end the following entry shall be added namely:—

“33. M/S Bharat Heavy Electricals Limited,  
Ramachandra Puram,  
Hyderabad-500032.”

8. After Appendix ‘K’ to the said regulations, the following Appendix shall be inserted, namely :—

“Appendix L. Safety valve discharge efficiency testing.

A. General

(i) The purpose and manner of testing shall be such as to provide suitable data from which a constant C may be determined in equation 78. To this end the following information shall be supplied to the Inspecting Authority before testing is undertaken.

(a) Full particulars of the valves to be tested and range of valves and springs which they represent.

(b) Details of the test rig including instrumentation and proposed calibration procedure.

(c) Proposed source, capacity, pressure, temperature of steam used for the test.

(ii) All testing shall be witnessed by the Inspecting Authority or the Inspecting Officer.

(iii) Tests shall be made to determine the operative characteristics of the safety valves for which a constant is to be determined and also to establish the discharge efficiency of the safety valve.

- (iv) Where possible, the tests to determine operating characteristic and discharge efficiency shall be carried out using the same steam, the same pressure conditions and at the same location. When the tests are carried out separately the valves in each case shall be complete and shall include all internals, e.g. blow-down adjustment rings.
- (v) The set pressure at which the operating characteristics are determined shall be the minimum set pressure for which the spring used is designed. The test shall be carried out using steam and shall determine the set pressure, the lift at the over pressure specified for the type of valve, as defined in regulation 292.
- (vi) The Inspecting Authority may dispense with the operating characteristic tests described in A(V).
- (vii) Discharge efficiency tests shall be carried out using steam and shall be carried out relative to the operative characteristic tests described in A(V).
- (viii) When the Inspecting Authority is satisfied that the design of valve will operate satisfactorily, it shall, if desired, be permissible to hold the valve head mechanically at the proven lift while carrying out the tests to ascertain the discharge efficiency.

#### B. Valves used in the test programme

- (i) The safety valves tested shall, as far as is practicable, be representative of the pressure and size range of valve manufactured.
- (ii) The tests for operative characteristics and the discharge efficiency tests shall be carried out on the three sizes or half the number of sizes in the range, whichever is smaller, with a minimum of two sizes.
- (iii) When the range is extended due consideration shall be given, in consultation with the Inspecting Authority, to whether further witnessed tests are necessary.
- (iv) The tests for operating characteristics shall be carried out at three significantly different set pressures for each size of valve.
- (v) The discharge efficiency tests shall be carried out relative to one set pressure for each size of valve.
- (vi) Each tests shall be carried out a minimum of three times to obtain acceptable average results.
- (vii) For the case of valves of either novel or special design of which one size only is being manufactured, tests at one set pressure are permitted by the agreement with the Inspecting Authority. When the range of sizes or pressure is extended due consideration shall be given in consultation with the Inspecting Authority, to whether further witnessed tests are necessary.

#### C. Determination of Constant C

Let

F be the measured capacity, on test of saturated steam (Kg/h)

Pt be the pressure at safety valve inlet at which the capacity was measured (bar gauge);

- A be the area appropriate to the type of valve (mm<sup>2</sup>), (see regulation 293(a);
- X be the allowable percentage over pressure for the type of valve under test (See regulation 293).
- Ct be the constant determined from test :

$$Ct = \frac{Et}{A \left[ \frac{Pt}{1 + \frac{X}{100}} \right]}$$

To accommodate the permitted spread on test results, tolerance on valve parts and springs, this calculated value of Ct shall be derated to 80% to obtain the value of C to be used in equation 78 of regulation 293 (a). This is to ensure that all production valves will achieve their rated discharge capacity at not more than the over pressure allowed for the type of valve tested.

"The Inspecting Authority may accept a more favourable derating factor of up to 90% of the calculated value of Ct where the performance of the valves under test and the manufacturing and spring tolerances applicable, ensure that the allowable over-pressure for the type of valve under test will not be exceeded when a valve is discharging its rated capacity in service."

[F. No. 6(3)/81-Boilers]

S. C. DEY, Secy. Central Boilers Board.

#### स्वास्थ्य और परिवार कल्याण मंत्रालय

स्वास्थ्य विभाग

नई दिल्ली 16 सितम्बर, 1982

सुवि-पत्र

सां. कां. नि. 883:— क्लास I तथा क्लास II के गैर चिकित्सा के विभिन्न राजपत्रित पदों के वर्तनी नियमों की पद्धति से संबंधित अनुसूची के पृष्ठ 7 के कालम 6 की प्रविष्टि में संशोधन करके 45 (पैंतासीस) वर्ष के स्थान पर 35 (पैंतीस) वर्ष की आयु पड़े।

[सं. 8-152/69-सी एंड सी बी]

टी० के० कामिल्ला, निदेशक  
जन स्वास्थ्य

MINISTRY OF HEALTH AND FAMILY WELFARE

(Department of Health)

New Delhi, the 16th September, 1982

CORRIGENDUM

G.S.R. 883.—Entry in column No. 6 at page 7 of Schedule in respect of method of recruitment rules to v Class I and II Non-medical gazetted posts may be modified to read as 35 (thirty-five) years age instead of 45 (forty-five) years.

[No. 8-152/69-C&CD]

T. K. KAMILLA, Director (PH)

## इस्पात और खान मंत्रालय

## (इस्पात विभाग)

नई दिल्ली, 10 अगस्त, 1982

सा० का० नि० 384—राष्ट्रपति, संविधान के अनुच्छेद 309 के परन्तुक द्वारा प्रदत्त शक्तियों का प्रयोग करने हुए, इस्पात और खान मंत्रालय (इस्पात विभाग) में वित्तीय विश्लेषक के पद पर भर्ती की पद्धति का विनियमन करने के लिए निम्नलिखित नियम बनाए हैं, अर्थात् —

1. संक्षिप्त नाम और प्रारंभ :— (1) इन नियमों का संक्षिप्त नाम इस्पात और खान मंत्रालय (इस्पात विभाग) (वित्तीय विश्लेषण) भर्ती नियम, 1982 है।

(2) ये राजपत्र में प्रकाशन की तारीख को प्रवृत्त होंगे।

2. पद संख्या, वर्गीकरण और वेतनमान :— उक्त पद की संख्या, उसका वर्गीकरण और उसका वेतनमान वे होंगे, जो इन नियमों में उपाबद्ध अनुसूची के स्तम्भ 2 से 4 में विनिर्दिष्ट है।

3. भर्ती की पद्धति, आयु-सीमा और अन्य अर्हताएं :— उक्त पद पर भर्ती की पद्धति, आयु-सीमा, अर्हताएं और उससे संबंधित अन्य बातें वे होंगी जो पूर्वोक्त अनुसूची के स्तम्भ 5 से 13 में विनिर्दिष्ट है।

4. निरर्हताएं वह व्यक्ति :—

(क) जिसने ऐसे व्यक्ति से, जिसका पति या जिसकी पत्नी जीवित है, विवाह किया है, या

(ख) जिसने अपने पति या अपनी पत्नी के जीवित होने हुए किसी व्यक्ति से विवाह किया है, उक्त पद पर नियुक्ति का पात्र नहीं होगा।

परन्तु यदि केन्द्रीय सरकार या यह समाधान हो जाता है कि ऐसा विवाह ऐसे व्यक्ति और विवाह के अन्य पक्षकार को लागू स्वीय विधि के अधीन अनुरूप है और ऐसा करने के लिए अन्य आधार हैं तो वह किसी व्यक्ति को इस नियम के प्रवर्तन से छूट दे सकती है।

5. शिथिल करने की शक्ति :— जहां केन्द्रीय सरकार को यह राय है कि ऐसा करना आवश्यक या समीचीन है, जहां वह उसके लिए जो कारण है उन्हें लेखबद्ध करके तथा संच लोक सेवा आयोग से परामर्श करके, इन नियमों के किसी उपबंध को किसी वर्ग या प्रवर्ग के व्यक्तियों की बाबत, आदेश द्वारा शिथिल कर सकती है।

6. व्यावृत्ति :— इन नियमों की कोई भी बात ऐसे आरक्षणों, आयु-सीमा में छूट और अन्य रियायतों पर प्रभाव नहीं डालेगी, जिसका केन्द्रीय सरकार द्वारा इस संबंध में समय-समय पर निकाले गए आदेशों के अनुसार अनुसूचित जातियों, अनुसूचित जनजातियों और अन्य विशेष प्रवर्गों के व्यक्तियों के लिए उपबंध करना अपेक्षित है।

## अनुसूची

पद का नाम	पदों की वर्गीकरण संख्या	वेतनमान	चयन पद अथवा अचयन पद	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए आयु-सीमा	सेवा में जोड़े गए वर्षों का फायदा केन्द्रीय सिविल सेवा (पेंशन) नियम, 1972 के नियम 30 के अधीन है या नहीं।	सीधे भर्ती किए जाने वाले व्यक्तियों के लिए शैक्षिक और अन्य अर्हताएं	
1	2	3	4	5	6	6क	7
वित्तीय विश्लेषक	1. साधारण केन्द्रीय सेवा (1982) समूह 'ख' राजपत्रित कार्यभार के आ-धार पर परिवर्तित किया जा सकता है।	650-30-740-35-810-द० रो०-35-880-40-1000-द० रो०-40-1200 रु०	लागू नहीं होता	लागू नहीं होता	लागू नहीं होता	लागू नहीं होता	लागू नहीं होता

सीधे भर्ती किए जाने वाले व्यक्तियों के लिए विहित अर्हता यदि लागू और प्रोत्ति अर्हताएं कोई हों प्रोत्ति का दया में लागू होगी या नहीं	परिवीक्षा की प्रोत्ति अर्हता या प्रतिनियुक्ति/स्थानान्तरण द्वारा तथा विभिन्न पद्धतियों द्वारा भरी जान वाली रिक्तियों की प्रतिजनता	प्रोत्ति/प्रतिनियुक्ति/स्थानान्तरण द्वारा भर्ती की दशा में वे श्रेणियों में प्रोत्ति/प्रतिनियुक्ति/स्थानान्तरण किया जायेगा	यदि विभागीय प्रोत्ति समिति है तो उसकी संरचना	भर्ती करने में कितने परिस्थितियों में सघ लोक सेवा आयोग से परामर्श किया जाएगा
---	---	--	--	--

8	9	10	11	12	13
लागू नहीं होता	लागू नहीं होता	प्रतिनियुक्ति पर स्थानान्तरण	प्रतिनियुक्ति पर स्थानान्तरण : किसी भी संगठित लेखा विभाग के ऐसे अधिकारी :— (क) (i) जो संपरीक्षा/लेखा अधिकारी का पद धारण किए हुए हैं ; या (ii) अधीनस्थ लेखा सेवा के ऐसे लेखाकार जिन्होंने उस श्रेणी में 3 वर्ष सेवा की हो ; और (ख) जिन्हें अधिमानतः याणि-ज्यिक संपरीक्षा का अनुभव है (प्रतिनियुक्ति की अवधि सामान्यतः 3 वर्ष से अधिक नहीं होगी ।)	लागू नहीं होता	किसी अधिकारी का इस पद पर नियुक्ति के लिए चयन करते समय सघ लोक सेवा आयोग से परामर्श नहीं किया जाएगा ।

[फा० सं० 2(9)/82-ए]

पी० पी० माथर, उप सचिव

## MINISTRY OF STEEL AND MINES

(Department of Steel)

New Delhi, the 10th August, 1982

**G.S.R. 884.**—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules regulating the method of recruitment to the post of Financial Analyst in the Ministry of Steel and Mines (Department of Steel), namely:—

1. Short title and commencement.—(1) These rules may be called the Ministry of Steel and Mines (Department of Steel) (Financial Analyst) Recruitment Rules, 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. Number of post, classification and scale of pay.—The number of the said post, its classification and scale of pay attached thereto shall be as specified in columns 2 to 4 of the said schedule.

3. Method of recruitment, age limit and other qualifications.—The method of recruitment, age limit, qualifications and other matters relating to the said post shall be as specified in columns 5 to 13 of the Schedule aforesaid.

4. Disqualifications.—No person,—

(a) who has entered into or contracted a marriage with a person having a spouse living, or

(b) who having a spouse living, has entered into or contracted a marriage with any person,

shall be eligible for appointment to the said post:

Provided that the Central Government may, if satisfied that such marriage is permissible under the personal law applicable to such person and the other party to the marriage and there are other grounds for so doing, exempt a person from the operation of this rule.

5. Power to relax.—When the Central Government is of the opinion that it is necessary or expedient so to do, it may for reasons to be recorded in writing, and in consultation with the Union Public Service Commission, relax any of the provisions of these rules with respect to any class or category of persons.

6. Saving.—Nothing in these rules shall affect reservations and other concessions required to be provided for the members of the Scheduled Castes, the Scheduled Tribes and other special categories of persons in accordance with the orders issued by the Central Government from time to time in this regard.

## SCHEDULE

Name of post	No. of post	Classification	Scale of pay	Whether Selection post or non-Selection Post	Age limit for direct recruits	Whether benefit of added years of service admissible under rule 30 of the Central Civil Services (Pension) Rules, 1972)	Educational and other qualifications required for direct recruits
1	2	3	4	5	6	6a	7
Financial Analyst	1 (1982) (Subject to variation depending on workload)	General Central Service Group 'B' Gazetted.	Rs. 650-30-740-35-810-EB-35-880-40-1000-EB-40-1200.	Not applicable	Not applicable	Not applicable	Not applicable
Whether age and educational qualifications prescribed for direct recruits will apply in the case of promotees	Period of probation, if any	Method of recruitment whether by direct recruitment or by promotion or by deputation/transfer and percentage of the vacancies to be filled by various methods	In case of recruitment by promotion/deputation/transfer, grades from which promotion/deputation/transfer to be made		If Departmental Promotion Committee exists, what is its composition.		Circumstances in which Union Public Service Commission is to be consulted in making recruitment
8	9	10	11		12		13
Not applicable	Not applicable	By transfer on deputation.	Transfer on deputation : Officers from any of the organised accounts Departments : (a)(i) holding post of Audit/Accounts Officer ; or (ii) Subordinate Accounts Service Accountants with 3 years' service in the grade; and (b) preferably having experience of commercial audit. (Period of deputation shall ordinarily not exceed 3 years).		Not applicable		Union Public Service Commission shall not be consulted while selecting an officer for appointment to this post.

[F. No. 2(9)/82-Estt.]  
P.P. MATHUR, Deputy Secy.

## पर्यटन और नागर विमानन मंत्रालय

नई दिल्ली, 23 सितम्बर, 1982

सां. का. नि. 885.—संविधान के अनुच्छेद 309 के परम्पुक द्वारा प्रदत्त शक्तियों का उपयोग करते हुए राष्ट्रपति एतद्वारा नागर विमानन विभाग (श्रेणी 1 और श्रेणी 2 पद) भर्ती नियमावली 1969\* में और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, अर्थात् :—

(1) (1) इन नियमों को नागर विमानन विभाग (श्रेणी 1 और श्रेणी 2 पद) भर्ती (8वां संशोधन) नियमावली, 1982 कहा जाएगा।

(2) ये नियम सरकारी राजपत्र में प्रकाशन की तारीख से प्रवृत्त होंगे।

(2) नागर विमानन विभाग (श्रेणी 1 और 2 पद) भर्ती नियमावली, 1969 की प्रसूची में निर्यक्त (वैमानिक निरीक्षण), उपनिदेशक (वैमानिक निरीक्षण) और उपनिदेशक (परीक्षा) के पदों से सम्बंधित क्रम संख्या 45(क), (ख) और (ग) और उनकी प्रविष्टियों के लिए निम्नलिखित क्रम संख्या और प्रविष्टियाँ प्रतिस्थापित की जाएगी, अर्थात् :—

1	2	3	4	5	6	7
45 (क) नियंत्रक (वैमानिक निरीक्षण) -- 2	7 (1982) कार्यभार के आधार पर परि-वर्तनीय	सामान्य केन्द्रीय सेवा, समूह "क" राजपत्रित	रुपए 1500-60-1800	चयन	लागू नहीं होता।	लागू नहीं होता।
(ख) उपनिदेशक (वैमानिक निरीक्षण) -- 4						
(ग) उपनिदेशक (परीक्षण) -- 1						
8	9	10	11	12	13	
लागू नहीं होता	2 वर्ष	पदोन्नति द्वारा	पदोन्नति के बरिष्ठ निरीक्षक जिन्होंने प्रेड में पांच वर्ष की नियमित सेवा पूरी कर ली हो।	विमान पदोन्नति समिति (पदोन्नति पर विचार करने के लिए)	विभागीय पदोन्नति समिति (पुष्टिकरण पर विचार करने के लिए)	पद पर नियुक्ति के लिए चयन करते समय संबंध लोक सेवा आयोग से परामर्श करना आवश्यक नहीं है।
				(1) अध्यक्ष सदस्य, संबंध सेवा आयोग--अध्यक्ष		
				(2) मंत्रालय के मन्त्रि या उनके द्वारा नामित उपयुक्त स्तर के व्यक्ति--सदस्य		
				(3) महानिदेशक नागर विमानन--सदस्य		
				(2) समूह "क" विभागीय पदोन्नति समिति (पुष्टिकरण पर विचार करने के लिए)		
				(1) महानिदेशक नागर विमानन--अध्यक्ष		
				(2) पर्यटन और नागर विमानन मंत्रालय में उपस्थित--सदस्य		
				(3) उपमहानिदेशक नागर विमानन--सदस्य		
				नोट :- पुष्टिकरण से सम्बन्धित विभागीय पदोन्नति समिति की कार्रवाई आयोग के पास अनुमोदन के लिए भेजी जाएगी। यदि आयोग इसका अनुमोदन नहीं करता है तो संबंध लोक सेवा आयोग के अध्यक्ष या इसके सदस्य की अध्यक्षता में विभागीय पदोन्नति समिति की एक गई बैठक बुलाई जाएगी।		

\*नोट :- इन पदों के मूल भर्ती नियम भारत के राजपत्र के भाग II, खण्ड 3, उपखण्ड (i) में विनांक 16 जून, 1969 की सां. का. निं. 1555 के रूप में प्रकाशित किए गए थे।

नत्पश्चात् संशोधित :-

1. विनांक 9-1-82 की सां. का. निं. 40
2. विनांक 16-1-82 की सां. का. निं. 84
3. विनांक 10-4-82 की सां. का. निं. 376
4. विनांक 25-5-82 की सां. का. निं. 473
5. फं. सं. एं. 12018/12/76-ई. 1 (बी. ई. एं. एफ. एं. एं.), विनांक 17-6-82
6. फं. सं. एं. 12018/1/80-ई. 1 विनांक 8-7-82
7. फं. सं. एं. 12018/9/75-ई. 1 (बी. ई. एं. एफ. एं. एं.) विनांक
8. फं. सं. एं. 12018/21/79-ई. 1 (बी. ई. एं. एफ. एं. एं.) विनांक

[फं. सं. एं. 12018/11/80-ई. I (बी. ई. एं. एफ. एं. एं.)]

धार. एन. भार्गव, चवर लखि

## MINISTRY OF TOURISM &amp; CIVIL AVIATION

New Delhi, the 23rd September 1982

G.S.R. 885.—In exercise of the powers conferred by the proviso to article 309 of the Constitution, the President hereby makes the following rules further to amend the Civil Aviation Department (Class I and Class II Posts) Recruitment Rules, 1969\* namely :—

1. (1) These rules may be called the Civil Aviation Department (Class I and Class II Posts) Recruitment (Eighth Amendment) Rules 1982.

(2) They shall come into force on the date of their publication in the Official Gazette.

2. In the Schedule to the Civil Aviation Department (Class I and Class II Posts) Recruitment Rules, 1969, for serial number 45 (a), (b) and (c) relating to the posts of Controller (Aeronautical Inspection), Deputy Director (Aeronautical Inspection) and Deputy Director (Examinations) and the entries relating thereto, the following serial number and entries shall be substituted, namely :—

## SCHEDULE

1	2	3	4	5	6	7
"45(a) Controller (Aeronautical Inspection)"—2	7 (1982) (subject to variation dependent on workload)	General Central Service Group A, Gazetted.	Rs. 1500-60-1800.	Selection.	Not applicable.	Not applicable.
(b) Deputy Director (Aeronautical Inspection)—4						
(c) Deputy Director (Examinations)						

8	9	10	11	12	13
Not applicable	2 years.	By promotion.	Promotion Senior Aircraft Inspector with 5 years regular service in the grade.	1. Group 'A' Departmental Promotion Committee (for considering promotion):— (1) Chairman/Member, Union Public Service Commission while making selection for appointment to the post. —Chairman. (2) Secretary to the Ministry or his nominee of the appropriate status —Member. (3) Director General of Civil Aviation—Member. (2) Group 'A' Departmental Promotion Committee (for considering confirmation) :— (1) Director General of Civil Aviation —Chairman. (2) Deputy Secretary in the Ministry of Tourism and Civil Aviation—Member. (3) Deputy Director General of Civil Aviation (Administration) —Member.	Consultation with the Union Public Service Commission is not necessary while making selection for appointment to the post."



Note 1:—The proceedings of the Departmental Promotion Committee relating to confirmation shall be sent to the Union Public Service Commission for approval. If, however, these are not approved by the Union Public Service Commission a fresh meeting of the Departmental Promotion Committee to be presided by the Chairman or a member of the Union Public Service Commission shall be held.

\*NOTE :—The Principal recruitment rules for the posts were published in Gazette of India, Part II, Section 3, Sub-Section (i), dated the 16th June, 1969 as GSR 1555.

Subsequently amended by Notifications:—

1. GSR 40 dated 9-1-82.
2. GSR 64 dated 16-1-82.
3. GSR 376 dated 10-4-1982.
4. GSR 473 dated 22-5-82.
5. F. No. A.12018/12/76-E.I.(VE/SFS), dated 17-6-82
6. F. No. A. 12018/1/80, VE dated 8-7-82.
7. F.No. 1. 12018/9/75-E.I. (VE/SFS) dated
8. F. No. A. 12018/21/79-E.I.(VE/SFS) dated

[N. F. A.12018/11/80-E.I.(VE/SFS)]  
R. N. BHARGAVA, Under Secy.

